

## **NCD for Hyperbaric Oxygen Therapy (20.29)**

### **Publication Number**

100-3

### **Manual Section Number**

20.29

### **Version Number**

3

### **Effective Date of this Version**

6/19/2006

### **Implementation Date**

6/19/2006

### **Benefit Category**

Incident to a physician's professional Service  
Outpatient Hospital Services Incident to a Physician's Service  
Physicians' Services

**Note:** This may not be an exhaustive list of all applicable Medicare benefit categories for this item or service.

### **Coverage Topic**

Doctor Office Visits  
Outpatient Hospital Services

### **Item/Service Description**

#### **CIM 35-10**

For purposes of coverage under Medicare, hyperbaric oxygen (HBO) therapy is a modality in which the entire body is exposed to oxygen under increased atmospheric pressure.

### **Indications and Limitations of Coverage**

## A. Covered Conditions

Program reimbursement for HBO therapy will be limited to that which is administered in a chamber (including the one man unit) and is limited to the following conditions:

1. Acute carbon monoxide intoxication,
2. Decompression illness,
3. Gas embolism,
4. Gas gangrene,
5. Acute traumatic peripheral ischemia. HBO therapy is a valuable adjunctive treatment to be used in combination with accepted standard therapeutic measures when loss of function, limb, or life is threatened.
6. Crush injuries and suturing of severed limbs. As in the previous conditions, HBO therapy would be an adjunctive treatment when loss of function, limb, or life is threatened.
7. Progressive necrotizing infections (necrotizing fasciitis),
8. Acute peripheral arterial insufficiency,
9. Preparation and preservation of compromised skin grafts (not for primary management of wounds),
10. Chronic refractory osteomyelitis, unresponsive to conventional medical and surgical management,
11. Osteoradionecrosis as an adjunct to conventional treatment,
12. Soft tissue radionecrosis as an adjunct to conventional treatment,
13. Cyanide poisoning,
14. Actinomycosis, only as an adjunct to conventional therapy when the disease process is refractory to antibiotics and surgical treatment,
15. Diabetic wounds of the lower extremities in patients who meet the following three criteria:
  - a. Patient has type I or type II diabetes and has a lower extremity wound that is due to diabetes;
  - b. Patient has a wound classified as Wagner grade III or higher; and
  - c. Patient has failed an adequate course of standard wound therapy.

The use of HBO therapy is covered as adjunctive therapy only after

there are no measurable signs of healing for at least 30 –days of treatment with standard wound therapy and must be used in addition to standard wound care. Standard wound care in patients with diabetic wounds includes: assessment of a patient’s vascular status and correction of any vascular problems in the affected limb if possible, optimization of nutritional status, optimization of glucose control, debridement by any means to remove devitalized tissue, maintenance of a clean, moist bed of granulation tissue with appropriate moist dressings, appropriate off-loading, and necessary treatment to resolve any infection that might be present. Failure to respond to standard wound care occurs when there are no measurable signs of healing for at least 30 consecutive days. Wounds must be evaluated at least every 30 days during administration of HBO therapy. Continued treatment with HBO therapy is not covered if measurable signs of healing have not been demonstrated within any 30-day period of treatment.

## **B. Noncovered Conditions**

All other indications not specified under §270.4(A) are not covered under the Medicare program. No program payment may be made for any conditions other than those listed in §270.4(A).

No program payment may be made for HBO in the treatment of the following conditions:

1. Cutaneous, decubitus, and stasis ulcers.
2. Chronic peripheral vascular insufficiency.
3. Anaerobic septicemia and infection other than clostridial.
4. Skin burns (thermal).
5. Senility.
6. Myocardial infarction.
7. Cardiogenic shock.
8. Sickle cell anemia.
9. Acute thermal and chemical pulmonary damage, i.e., smoke inhalation with pulmonary insufficiency.
10. Acute or chronic cerebral vascular insufficiency.
11. Hepatic necrosis.
12. Aerobic septicemia.
13. Nonvascular causes of chronic brain syndrome (Pick’s disease, Alzheimer’s disease, Korsakoff’s disease).
14. Tetanus.
15. Systemic aerobic infection.
16. Organ transplantation.

17. Organ storage.
18. Pulmonary emphysema.
19. Exceptional blood loss anemia.
20. Multiple Sclerosis.
21. Arthritic Diseases.
22. Acute cerebral edema.

### **C. Topical Application of Oxygen**

This method of administering oxygen does not meet the definition of HBO therapy as stated above. Also, its clinical efficacy has not been established. Therefore, no Medicare reimbursement may be made for the topical application of oxygen.

#### **Cross Reference**

§270.5 of this manual.

#### **Transmittal Number**

48

#### **Transmittal Link**

<http://www.cms.hhs.gov/transmittals/downloads/R48NCD.pdf>

#### **Revision History**

07/01/1997 - Clarified coverage limited to conditions listed under §35-10.A. Effective date 08/11/1997. (TN 102)

04/01/1999 - Clarified covered conditions and physician supervision requirement. Effective date 05/01/1999. (TN 112)

10/19/2000 - Manualized program memorandum AB-00-15 (dated 4/1/2000) and clarified that "preparation and preservation of compromised skin graft" in section 35-10A.9 is not for primary management of wounds. Effective date NA. ([TN 129](#)) (CR 1138)

12/27/2002 - Expanded coverage for treatment of diabetic wounds of the lower extremities in patients that meet three criteria. Effective date 04/01/2003. ([TN 164](#)) (CR 2388)

03/2006 - Technical corrections to the NCD Manual. Effective date

06/19/2006. ([TN48](#)) (CR4278)

### National Coverage Analyses (NCAs)

This NCD has been or is currently being reviewed under the National Coverage Determination process. The following are existing associations with NCAs, from the National Coverage Analyses database.

- [Original consideration for Hyperbaric Oxygen Therapy for Hypoxic Wounds and Diabetic Wounds of the Lower Extremities \(CAG-00060N\)](#)

### Other Versions

[Hyperbaric Oxygen Therapy](#) - Version 2, Effective between 04/01/2003 - 06/19/2006

[Hyperbaric Oxygen Therapy](#) - Version 1, Effective between 10/19/2000 - 04/01/2003



[Add to basket](#)



[Email this to a friend](#)



[New Search](#)

---

**Page Last Modified: 11/14/2008 11:24:36 AM**

[Help with File Formats and Plug-Ins](#)

[Submit Feedback](#)